

Damar

COATINGS CHEMICALS AEROSOLS



PRODUCT CATALOGUE
January 2011

CONTENTS

CHEMICALS

Andrew Chemicals	3 - 6
Poolpride Poolcare range	7 - 8

AEROSOLS

SprayWell Markers	9 - 12
-------------------	--------

COATINGS

Damar Surface Coatings	13 - 14
------------------------	---------



Welcome to Damar Industries

Damar Industries Ltd is a manufacturer and marketer of coatings, chemicals and aerosol and products, which it sells under the brands listed below and which are presented in this catalogue. Products are distributed throughout New Zealand and service is only ever a phone call away with our dedicated customer services team ready to take your call. Call us today on 0800 33 44 75 to find out how to place an order.

Our Brands



Contract Manufacturing

Can't find what you are looking for?

Damar offers a fully integrated contract manufacturing service that includes product development, manufacturing, warehousing and distribution. So if you can't find what you need then talk to us about it; chances are we can manufacture it for you.

Our purpose built site in Rotorua can handle a range of hazardous substances and other products including solvents, powders, putties and liquids.

DAMAR REW

Solvents, Cleaners, Treatments and Fuels



ACETONE

An essential part of the more specialised painter / hobbyist / tradesman's range of materials. It's a versatile solvent that can be used in a variety of applications including thinning surface coatings (e.g. lacquers for automotive finishes), cleaning (e.g. nail polish) as well as degreasing and de gumming.



- 6 x 1L ALR0123
- 2 x 5L ALJ0123
- 20L ALK0123
- 166kg (+/- 208L) ALP0123

ALL PURPOSE DEGREASER

A solvent based degreasing agent that contains a unique blend of surfactants and detergents. Perfect for cutting through grease, oils and wax. Once it has attacked the grease/wax, it leaves a detergent on the surface which emulsifies the remaining contaminants when flushed with water.

- 6 x 1 L ALR0172
- 4 x 4 L ALL0172
- 20 L ALK0172
- 200 L ALN0172

CREOSOTE

Creosote is a black to brown liquid with a strong tar odour. It is immiscible with water, but miscible with alcohol, hydrocarbon solvents, benzene and toluene.

It is a preservative that protects timber from moisture, fungus and termites.

Usually applied by pressure/vacuum impregnation where the heated creosote is forced into the timber by pressure.

- 4 X 4 L ALL1000
- 20 L ALK1000

CITRONELLA OIL

Citronella Oil is a fuel for use in Citronella Lamps, including bamboo flares and outdoor lamps.



Citronella Oil is a thin orange flammable liquid, with a mild odour. Citronella Oil is immiscible with water.

- 12 X 1 ALT0148
- 4 x 4 L ALL0148

ETHANOL DENATURED WP99

A clear, colourless, highly flammable liquid with a characteristic odour. It is denatured to prevent consumption, giving it a burning, bitter taste. Miscible with water, methyl alcohol, ether, chloroform and acetone.

Used in the manufacture of chemicals, lacquer thinners, industrial and domestic cleaners, solvents, antifreeze and fuel.

- 2 x 5 L ALJ0124
- 20 L ALK0124
- 209 L (+/- 166kg) ALN0124

ECO DEGREASER

Effective and environmentally safe water based degreasing solution. Formulation includes a selection of wetting agents, biodegradable emulsifiers and natural orange oil extract; very effective for removing grease, oil and soils while having a minimal impact on the environment.

- 20 L ALK0193

FUELITE

Fuelite is a clear, colourless solvent with a fast drying rate and negligible residual odour. It is ideal of cleaning and degreasing applications that require a fast evaporating solvent.

Safe on all metals, some plastics and rubbers. Fuelite is highly flammable.

Sometimes known as clear petrol, and incorrectly referred to as white spirits.

- 1 L ALT0151
- 20 L ALK0151
- 60 L ALQ0151
- 201 L ALP0151



GRAFFITI REMOVER

A very effective solution for the removal of Graffiti from a wide range of surfaces.

For bulk Graffiti removal.

- 20 L ALK0185
- 205 L ALP0185

KEROSENE

Kerosene is an ideal low cost solvent for general purpose use. It is a clear, oily petroleum solvent with a distinctive odour, and is dyed blue. Manufactured by the distillation of crude oil. Not as effective as mineral turpentine at degreasing and is much slower in evaporation rate.

- 12 X 1 L ALT0137
- 4 x 4 L ALL0137
- 20 L ALK0137
- 60 L ALQ0137
- 206 L (+/- 166 kg) ALP0137



RAW LINSEED OIL

Untreated raw oil obtained from linseeds. Pale yellow in colour with a distinctive odour.

Generally used to waterproof and protect untreated timbers e.g. decking and fences.

- 12 x 1 L ALR0136
- 4 x 4 L ALL0136
- 20 L ALK0136



BOILED LINSEED OIL

Not boiled as such but heated with materials called driers that are added while the oil is hot to improve the drying qualities of the oil. It dries quicker than raw linseed oil and becomes thicker, denser and darker when dry.

Generally used to treat and protect treated timbers e.g. cricket bats and antique furniture.

- 12 x 1 L ALT0135
- 4 x 4 L ALL0135
- 20 L ALK0135



METHANOL

A highly flammable toxic liquid with a sweet alcoholic odour. Miscible with water, ethanol, ether, benzene and most organic solvents. It burns with a non-luminous flame.

Methanol is used as an industrial and pharmaceutical solvent, as a raw material in the production of formaldehyde and to denature ethanol. Also commonly used as a racing fuel.

- 20 L ALK0157

METHYL ETHYL KETONE (MEK)

A thin, colourless and highly flammable liquid with a penetrating sharp smell. Partially miscible with water, and miscible with alcohol, ether and hydrocarbons solvents. Typically used as a solvent in lacquers, thinners, solvent cements, adhesives, glues, paint removers, nail polish removers, nail polish and cleaning solvents. MEK attacks, softens and may dissolve rubber, plastics, paints and coatings.

- 2 x 5 L ALJ0108
- 20 L ALK0108
- 203 L (+/- 165 kg) ALP0108

METHYLATED SPIRITS

Widely used in domestic and industrial areas for cleaning. Generally used for removing light oils and greases, pen marks etc. from upholstery, walls, doors and most other washable surfaces. Apply by spray or wiping. Used in the food and catering industry, in meths burning food warmers and stoves.

- 12 X 1 L ALT0134
- 4 x 4 L ALL0134
- 20 L ALK0134
- 60 L ALQ0134
- 206 L (+/- 166 kg) ALP0134



METHYLENE CHLORIDE

A colourless non-flammable liquid. It does not mix with water and has a penetrating ether like odour. It mixes with alcohol and organic solvents.

Used as a component in degreasing agents, cleaning fluids and paint removers. It is also used as a blowing agent in foams, as an aerosol propellant and as a cooling solvent.

- 20 L ALK0159

MINERAL TURPENTINE

Clear colourless petroleum solvent with distinctive odour. Manufactured by the distillation of crude oil. One of the most common and widely used solvents available. More effective at degreasing than white spirit and has a stronger odour due to its higher aromatic hydrocarbon content.



- 12 X 1 L ALT0103
- 6 x 2L ALJ0103
- 4 x 4 L ALL0103
- 20 L ALK0103
- 60 L ALQ0103
- 205 L (+/-166 kg) ALP0103

MIRACLE KUMCLEAN

Kumclean is a unique blend of solvents, which makes it effective for removing paint, varnishes and lacquers from rollers and brushes. Kumclean is ideal for removing grease and paint from clothing. Removes hardened paints from old brushes.

- 12 X 1 L ALT0154
- 4 x 4 L ALL0154

PAINT BRUSH & ROLLER CLEANER

Paint Brush & Roller Cleaner is a clear, colourless, flammable liquid with a strong solvent odour. It is immiscible with water, however brushes and rollers can be rinsed clean with running water. Paint Brush and Roller Cleaner is an effective cleaner for removing paint, varnishes and lacquers from rollers and brushes.



- 12 x 1 L ALT0138
- 2 x 5 L ALJ0138

PLASTER OF PARIS

When mixed with water, Plaster of Paris forms a paste similar to mortar or cement. However, after drying the plaster remains quite soft, so it can easily be moulded with metal tools and even sandpaper.



Plaster of Paris is ideal for giving a finish that can simulate stone or wood giving an ornate look. Used in moulds for construction or crafts.

- 12 x 1 kg ALT0163
- 6 x 2 kg ALR0163

SPIRITS OF SALTS

A clear to light yellow corrosive liquid with a sharp, suffocating odour. Used to for cleaning and etching brickwork and concrete surfaces, for removing heavy rust and scale from ferrous metals and metal pickling, in laboratory environments as a reagent, for hydrolysing starch and proteins in food applications and as component in soldering.

- 6 x 2 L ALR0099
- 3 x 5 L ALM0099
- 20 L ALK0099

SOLVENT X4

Solvent X4 is a clear, highly volatile liquid with a mild petrol like odour. Immiscible in water.

Used for extraction of oils from seeds, fish, perfumes etc.

Also used in the manufacture of adhesives and pressure sensitive tapes and labels. A diluent for printing ink. Can also be used as a general degreasing and cleaning solvent.

- 20 L ALK0166

HEAVY DUTY THINNER

A highly flammable liquid with a solvent odour. Immiscible with water. Typically used to thin Heavy Duty protective coatings and to clean up application equipment.

Particularly suitable for use as a general purpose solvent in protective coatings application workshops.

- 200 L ALN0153

GENERAL PURPOSE THINNER

A general use solvent for use with a variety of solvent-based paints e.g. to thin paint to obtain smooth flow and accelerate drying time. In addition it is perfect for cleaning up any solvent-based paint spills or soiled brushes.



- 6 x 1 L ALR0152
- 4 x 4 L ALL0152
- 20 L ALK0152
- 200 L ALN0152

LACQUER THINNER

A specialist solvent designed for optimising the consistency and characteristics of lacquer paints depending on the type of application e.g. it can be used to alter the drying characteristics of the paint for optimal spray painting. It is also the perfect solvent for cleaning lacquer paints.



- 6 x 1 L ALR0155
- 4 x 4 L ALL0155
- 20 L ALK0155
- 200 L ALN0155

TOLUENE

A clear, highly flammable liquid with a strong aromatic odour. Immiscible with water but miscible with most organic solvents. Used as a solvent for paint, resins, lacquers, inks, adhesives and as a component of solvent blends and thinners. Also used in the manufacture of chemicals, dyes, explosives and benzoic acid. Can be used as an octane booster in gasoline fuels used in internal combustion engines.

- 20 L ALK0109
- 208 L (+/- 182 kg) ALP0109

TRUCK WASH

Designed to remove road grime from vehicle surfaces by penetrating and dissolving the grime. Gives a streak-free finish, is very economical, works with hot or cold water and is suitable for hand application or with a high pressure washer.



- 20 L ALK0092
- 200 L ALN0092

WAX AND GREASE REMOVER

Wax and Grease Remover is a powerful solvent that evaporates quickly and leaves no oily residue when used to clean bare metal parts or panels prior to painting.



- 6 x 1L ALR0198
- 20 L ALK0198
- 205 L (+/- 162 kg) ALN0198

WHITE SPIRITS (STODDARD SOLVENT)

Colourless, flammable, highly mobile liquid, with a mild odour. Immiscible with water. Widely used in Dry-cleaning applications for removing oil based marks from clothing and textiles. Can also be used as a degreasing and cleaning solvent where the stronger odour of Kerosene or Mineral Turps is not desired.



- 6 x 1L ALR0112
- 20 L ALK0112
- 205 L (+/- 162 kg) ALP0112

HEAVY DUTY THINNER

A highly flammable liquid with a solvent odour. Immiscible with water. Typically used to thin Heavy Duty protective coatings and to clean up application equipment.

Particularly suitable for use as a general purpose solvent in protective coatings application workshops.

- 200 L ALN0153

XYLENE

A clear, colourless flammable liquid with a strong aromatic odour.

Immiscible with water, but miscible with most organic solvents. A strong solvent typically used in the manufacture of paints, varnishes, lacquers, thinners, inks, rubber, pesticides, herbicides and paint strippers.

- 20 L ALK0111
- 209 L (+/-182 kg) ALP0111

POOLPRIDE

The Poolpride pool care range is based on a very easy-to-use 3 step system of testing, problem solving and maintenance. Products are shown in the appropriate category that they fit into.

TESTING

TEST STRIPS

Poolpride Pool & Spa Test Strips are the quick, easy and accurate way to test pool and spa water. With one dip you can easily test the Free Chlorine, pH and Total Alkalinity of your pool or spa water.

Available in: 12 x container of 50



PROBLEM SOLVING

LIQUID FLOC

Liquid Floc clears cloudy water and increases water clarity by clustering fine particles together so they sink to the bottom of the pool, where they can be vacuumed up and removed.

Available in: 12 x 1 L



pH DECREASE

pH Decrease is used to control the alkalinity of pool water and decrease the pH level to the ideal range of 7.2 - 7.8. If pH levels are too high, the pool water can irritate your eyes, cloud water, form scales and decrease the effectiveness of the chlorine.

Available in: 4 x 2 kg



PH BUFFER

pH Buffer prevents rapid changes in pH levels by increasing stability. The pH level of your pool water should be between 7.2 - 7.8. The pH level in your pool is highly susceptible to change due to factors such as rainfall, heavy pool usage or swimmer loads. pH Buffer locks the pH level so it doesn't fluctuate.

Available in: 4 x 2 kg



pH INCREASE

pH Increase is used to control the acidity of pool water and increase the pH level to the ideal range of 7.2 - 7.8. If pH levels are too low, the pool water can irritate your eyes and skin, wrinkle vinyl liners and increase chlorine loss.

Available in: 4 x 2 kg



MAINTENANCE

CHLORINE GRANULES

Chlorine Granules maintain the health of your pool and keep it clean by destroying and preventing algae/bacteria growth in pool water. Chlorine Granules are the most cost effective sanitising method.

Chlorine Granules are also used for shock dosing pools throughout the year.

Available in: 4 x 2 kg, 2 x 4 kg, 1 x 10 kg



SPA POOLS STABILISED CHLORINE GRANULES

Formally called Spa Pride, Stabilised Chlorine Granules - for Spa Pools is an effective sanitiser for spa pools. Stabilised Chlorine Granules - for Spa Pools is specially designed for warmer water to prevent algae/bacteria growth.

Available in: 4 x 2 kg



STABILISED CHLORINE GRANULES

Stabilised Chlorine Granules will destroy and prevent algae/bacteria growth in pool water, with added stabiliser to protect against chlorine loss due to ultra violet light.

Available in: 4 x 2 kg



ALGICIDE

Algicide has been designed to destroy and prevent algae/bacteria growth during the winter months when your pool is not being used. During the swimming season, Algicide should be used every 6 weeks to boost the algae inhibiting properties of chlorine products.

Available in: 12 x 1 L



CHLORINE PILLS

Chlorine Pills are granules compressed into pill form (contain 70% chlorine). This is a more convenient way of sanitising your pool, as pills are used in a skimmer or floater and require no pre-mixing.

Available in: 4 x 1.8 kg



STABILISED CHLORINE TABLETS

Stabilised Chlorine Tablets will destroy and prevent algae/bacteria growth in pool water, with added stabiliser to protect against chlorine loss due to ultra violet light. These long lasting tablets are convenient and easy to use, leaving no residue in your pool.

Available in: 4 x 1.8 kg, 2 x 3.6 kg



SprayWell

MARKERS



Leave a mark that is easy to apply and easy to be seen with SprayWell's range of versatile aerosol markers. The range offers a wide variety of vibrant colours and nozzle configurations.

SPRAYWELL HAS FOUR PRODUCT LINES;

1. **Standard Marker** (semi permanent)
2. **Ink Marker** (semi permanent)
3. **Block Out** (semi permanent)
4. **Line Marker** (permanent)

Line marker trolleys are a useful accessory designed for easy application of Line Marker.

SOME COMMON APPLICATIONS:

- Marking / Identification of logs and timber
- Marking plastic pallet wrap
- Marking concrete & wooden boxes.
- Marking out on building sites & for landscaping.
- Road construction and maintenance
- For sports events (marking courses)



STANDARD MARKER - SprayWell Upright



SprayWell's Upright Markers are sprayed with the can in the upright position.

The cans come with four different nozzle configurations for different applications and the range consists of 18 different colours. Cans contain 400 ml and are available in cartons of 12.

Colour	Code	Std	Fine	Fan	HD
Dark Blue	CBT33	▲		▲	
Light Blue	CBT38		▲	▲	▲
Dark Green	CBT31	▲	▲	▲	▲
Light Green	CBT43	▲		▲	
Yellow	CBT19	▲	▲	▲	
Orange	CBT44	▲	▲	▲	▲
Red	CBT13	▲	▲	▲	
Purple	CBT20	▲	▲	▲	

Colour	Code	Std	Fine	Fan	HD
White	CBT01	▲	▲	▲	▲
Black	CBT10	▲	▲	▲	▲
Fluoro Green	CBT34	▲	▲	▲	
Fluoro Yellow	CBT37	▲	▲	▲	
Fluoro Orange	CBT35	▲	▲	▲	
Fluoro Red	CBT36	▲	▲	▲	
Fluoro Pink	CBT58	▲	▲	▲	


(Note: Colours are indicative only as print quality may change.)

NOZZLES AVAILABLE

Spray Well offers a range of four different nozzles depending on your application.

- **Fan** - For wide coverage.
- **High Discharge** - For extra thick application of marker.
- **Standard** - Standard spray paint type nozzle.
- **Fine** - Better suited for free hand writing.

Representative illustrations of the sprays from the nozzles are shown below.



STANDARD MARKER - SprayWell Upside Down

SprayWell's Upside Down Markers only work when held and sprayed pointing downward e.g. for making a mark on the ground.


Cans contain 400 ml and are available in cartons of 12.

Colour	Code	Std	Fine	Fan	HD
White	CBT01	▲			
Light Blue	CBT38	▲			
Fluoro Green	CBT34	▲			
Fluoro Yellow	CBT37	▲			
Fluoro Orange	CBT35	▲			
Fluoro Red	CBT36	▲			
Fluoro Pink	CBT58	▲			

(Note: Colours are indicative only as print quality may change.)

NOZZLES AVAILABLE

Spray Well Upside down cans are only available with one nozzle designed to be sprayed upside down. The nozzle leaves a standard round mark.



Left is a representation of the mark left when sprayed out of the nozzle onto a surface.

INK MARKER

SprayWell Ink Marker has been made in New Zealand with our environmental conditions in mind.



- Cost effective; approximately 3 m² of marking per can.
- High opacity enables effective coverage without the need for a high build up of film. This is very beneficial for repeated use of stencils.
- Excellent adhesion to most substrates encountered in the timber, packaging, construction and landscaping industries.
- Contains high quality organic pigments which possess very good light fastness and weathering properties ensuring a durable mark.
- Low odour and low irritant formula.
- Film adheres to wet surfaces. Once substrate dries, the film binds to the surface enabling the product to be used in wet conditions.
- Can be recoated at any stage enabling touch-ups or colour changes without interfering with the adhesion of the original coat.

Colour	Code	Std	Fine	Fan	HD
Dark Blue	CBT33	▲		▲	
Light Blue	CBT38		▲	▲	▲
Dark Green	CBT31	▲	▲	▲	▲
Light Green	CBT43	▲		▲	
Orange	CBT44	▲	▲	▲	▲
Purple	CBT20	▲	▲	▲	
Black	CBT10	▲	▲	▲	▲

(Note: Colours are indicative only as print quality may change.)

HIGHWAY LINE MARKER

A fast drying, alkyd-based paint in aerosol form, specifically designed for road or line marking.

Typical uses include:

- Marking roadways or car park areas.
- Marking of uncoloured concrete surfaces.
- Marking of playing surfaces (tennis courts, netball courts, etc.)
- Fire hydrant delineation.

Cans contain 600 ml and are available in cartons of 12.

COLOURS AVAILABLE




(Note: Colours are indicative only as print quality may change.)

NOZZLE

Highway Line Markers come in two nozzle varieties depending on the colour; a spot nozzle for writing and a fan nozzle which is ideal for consistent lines.

- White and Yellow are available in both fan and spot nozzles.
- Black comes with a fan nozzle only
- Red and Blue are only available with spot nozzles.

Below is a representation of the mark left when sprayed out of the nozzle onto a surface.



LINE MARKER TROLLEY

The Line Marker Trolley is designed for applying upside down spray markers either in a straight line or freehand.

Straight lines can be sprayed using the trolley with guide arm. Freehand marks can be applied using the detachable extension arm.

The trolley / extension arm have a trigger for remote engagement of the valve.

Product features include:

- An easy to use and ergonomic design for comfort while marking large areas
- Multipurpose - use trolley for straight lines and extension arm for freehand marking
- Simple yet robust design
- Guide arm for marking along buildings / other structures or for following string lines.
- Designed specifically for use with Damar Highway Line Marker 600 ml can
- Low maintenance



BLOCK OUT

Block Out is a spray designed for covering up unwanted print.

It dries within minutes so that new markings can be applied on a variety of surfaces ,e.g. timber, cardboard cartons.

Cans contain 400 ml and are available in cartons of 12.



Colour of Block Out is a light brown similar to timber, logs or brown cardboard.

Damar

surface coatings

Damar has years of experience in the coatings industry and manufactures a range of products for various industrial applications. Custom made coatings can be developed for you specific application. Below is a range of products that are currently available.

ACRYLIC COLOUR CODE/IDENTIFICATION COATINGS

A range of acrylic colours designed for cost effective applications where colour coding for product identification is required, used by industry for coding and identification purposes by product and customer demand.

Made to order

Available in: 200 L, 1000 L

ACRYLIC PRIMERS FOR RADIATA

A range of new generation acrylic primers for high speed applications through spray or vacuum, featuring cross linking technologies that can be IR cured. Used for weather board, fascia and mouldings on both LOSP and Boron treatment options.

Made to order

Available in: 200 L, 1000 L

ACRYLIC STAINS FOR RADIATA

An exterior stain range that is used as a semi transparent penetrating coating for exterior applications such as Radiata and cedar, developed as a cost effective option to enhance the natural beauty of timber for industrial applications.

Made to order

Available in: 200 L, 1000 L

ACRYLIC WATER REPELLENT COATINGS

A range of pure acrylic coatings featuring strong hydrophobicity where rapid water shedding and very low dirt collection is required, such as Radiata lumber used in construction where dimensional stability and the easy removal of construction debris is required.

Made to order

Available in: 200 L, 1000 L

AQUAFIL

A single pack, quick drying acrylic gap/hole filler. This product displays minimal shrinkage and does not crack when hammered, drilled or screwed. Remains flexible, easy to apply and can be over coated with water based, oil-based or polyurethane finishes.

Typically used as a fast drying, single pack gap filler for pine timber and for knot replacement in pine timber plywood.

Available in: 4 & 10 L

DURAGLAZE

A non-yellowing, chemical resistant glaze, that forms a hard, easy to clean, transparent membrane.

Typically used for sealing and sand retention on newly laid pavers and cobblestone, unglazed tiles and brickwork. Also for building exteriors subject to constant wear and handling and as an overglaze for acrylic and pebble floor coatings.

Available in: 1, 4, 20 & 200 L

MSG DYE

Typically used for machine stress grading of sawn timber, for colour coding timber or pre-sawn logs, and on forestry harvesting heads. This product has been colour coded to International Standards and has long lasting UV stability.

Colours: Black, blue, green, purple, red & yellow

Available in: 20 L. Other sizes available on request

LOG MARK OFF

Log colour code marking system, with highly visible colours. Typically used for the identification of log shipments to ensure individual customer identification.

Colours: Black, blue, green, purple, red & yellow

Available in: 20 L

PREMIUM ALKYD PRIMERS FOR RADIATA

A range of premium alkyd primers designed for high speed applications on weather board, fascia and exterior mouldings.

Made to order

Available in: 200 L, 1000 L

PIGMENT DISPERSIONS

A range of pigment dispersions used by industry to colour paper, cement based products and other substrates.

Made to order

Available in: 200 L, 1000 L



Damar Industries Ltd
Eastgate Business Park, 800 Te Ngae Road, Rotorua
PO Box 7084, Te Ngae, Rotorua 3042, New Zealand

www.damarindustries.co.nz

To place an order: **E:** orders@damarindustries.co.nz **P:** 0800 33 44 75 **F:** 0800 33 44 76